


Conclusion



Ce qu'il faut retenir

La qualité « probante » des résultats repose sur :

- Une **question clinique** / de recherche clairement énoncée
- Une spécification claire de la **population visée**
- Un **devis (ou protocole)** permettant adéquatement de répondre à la question posée
- Une **méthodologie d'analyse** appropriée au devis utilisé
- Une description claire des **Résultats** obtenus
- Une discussion des **apports** (réponses apportées) et limites (biais) de l'étude
- Une discussion des **bénéfices** pour la pratique.

Ce qu'il faut retenir

En tant qu'étudiant, professionnel-le junior, je dois:

- Etre à même d'**identifier les sources de données scientifiques**, en regard notamment d'autres sources de données (professionnelles, grand public)
- Etre à même de **savoir où, et comment, chercher** les données issues de la recherche scientifiques
- Etre à même d'**identifier les recherches rigoureuses et de devis adéquats** permettant de répondre à une question clinique
- Etre à même de **connaître et d'utiliser les outils (grilles) offrant une aide à la lecture critique** de recherches scientifiques

En conclusion

- Une approche indissociable de l'**amélioration continue de la qualité**
- Une stratégie de **Résolution de problèmes cliniques**
→ analyse critique, interprofessionnalité, développement professionnel.
- Un reflet du **professionnalisme** de la prise de décision
- Une question d'**équilibre théorie / pratique** tenant compte des **préférences du patient et du contexte de l'activité**

*"Celui qui étudie la médecine sans livres navigue sur une mer inexplorée,
mais celui qui étudie la médecine sans patients ne va pas du tout en mer"*

Sir William Osler

Bibliographie

Agence Nationale d'Accréditation et d'Evaluation en Santé. Guide méthodologique, efficacité des méthodes de mise en oeuvre des recommandations médicales. Paris : ANAES; 2000.

Balakas K., Smith JR. Evidence-Based Practice and Quality Improvement in Nursing Education. *J Perinat Neonatal Nurs.* 2016;30(3):191-4.

Beyea, Suzanne C. Slattery, Mary Jo; Historical perspectives on evidence-based nursing; *Nursing Science Quarterly* 2013;26(2):152-5.

Cullum , N., Ciliska, D., Haynes, B R., Marks, S. Evidence-Based Nursing : An introduction. Oxford: RCN Publishing company,BJM Journals Blackwell publishing ; 2008.

Davies, B., Logan, J. Lire des textes de recherche : Guide convivial pour infirmiers et autres professionnels de la santé. Traduit par Coutu-Wakulczyk, G. Toronto: Elsevier ; 2011.

Di Censo A. Cullum N. Evidence Bases Nursing. BMJ Publishing Group 1998 (1).

Di Censo ,A., Guyatt, G., Cilisky, D. Evidence-based Nursing : A guide to clinical practice. St Louis : Elsevier Mosby ; 2005.

Debout C. L'utilisation des données probantes dans le raisonnement clinique infirmier. Journée du Collège infirmierFrançais 12/12/2017. Notes personnelles

Desmond, J.S., Desmond, G.J. Achievements and Limitations of Evidence-Based Medicine. *J Am Coll Cardiol* 2016; 12;68(2):204-13.

Doyon, O. L'application des pratiques fondées sur les résultats probants : une démarche de changement au quotidien, un signe de maturité professionnelle. In Delmas, P. & Sliwka, C. (Dir.), Profession d'infirmière : Quelle place et quelles pratiques à l'avenir ? (pp. 151-188). Paris : Editions Lamarre ; 2009.

Durack DT. The weight of medical knowledge. *N Engl J Med* 1978;298:773–5.

Evidence-Based Medicine Working Group. Evidence-based medicine. A new approach to teaching the practice of medicine. *JAMA* 1992;268(17):2420-5.

Goode, C. Applied Nursing Research. What constitutes the “evidence” in evidence-based practice? *Applied Nursing Research* 2000; 13(4) :222-225.

Grimshaw JM., Russel IT.: Effect of clinical guidelines on medical practice: a systematic review of rigorous evaluations. *Lancet* 1993 ; 27;342(8883):1317-22.

Bibliographie

Grimshaw et al. Toward Evidence-Based Quality Improvement: Evidence (and its Limitations) of the Effectiveness of Guideline Dissemination and Implementation Strategies 1966–1998. *J Gen Intern Med.* 2006; 21(Suppl 2): S14–S20.

HAS. Guide d'analyse de la littérature et des gradations des recommandations. Paris : HAS ; 2000.

HAS. Guide méthodologique de diffusion publique des indicateurs de qualité des soins. Paris : HAS ; 2012.

Haynes R.B., Sackett D.L., Gray J.R., Cook D.J., Guyatt G.H., « Transferring evidence from research into practice:1. The role of clinical care research evidence in clinical decision ». *ACP J Club* ; 1996, 125:A14-6.

Irving D. *Managing Quality in General Practice*.London, UK: King's Fund, 1991

Lake, ET, Sanders, J., Duan, R., Riman, KA, Schoenauer, KM, Chen, Y. A Meta-Analysis of the Associations Between the Nurse Work Environment in Hospitals and 4 Sets of Outcomes. *Med Care* 2019;57(5):353-361.

Laroche, P. *La métá-analyse Méthodes et applications en sciences sociales*. De Boeck Supérieur ; 2015.

Melynck BM., Fineout-Overholt E., Gallagher-Ford L., Kaplan L., « The state of evidence-based practice in US nurses : critical implications for nurse leaders and educators ». *Journal of Nursing Administration* 2012; 42, 410-417.

Nieva V, Murphy R, Ridley N, et al. From science to service: a framework for the transfer of patient safety research into practice. In: *Advances in patient safety: from research to implementation*. Rockville, MD:Agency for Healthcare Research and Quality; 2005.

Osler W. Books and men. In: *Aequanimitas, With Other Addresses to Medical Students, Nurses and Practitioners of Medicine*. Philadelphia, PA: P Blakiston, 1904.

Pereira, F., Pellaux, V., & Verloo, H. Beliefs and implementation of evidence-based practice among community health nurses: A cross-sectional descriptive study. *J Clin Nurs* 2018; 27(9-10), 2052-2061.

Polit, D. F., & Beck, C. T. *Nursing research: generating and assessing evidence for nursing practice* (10th ed). Philadelphia [etc.]: Wolters Kluwer Health/Lippincott Williams & Wilkins ; 2017.

Polit, D. F. & Beck, C. T. *Nursing research: Principles and methods* (10th ed.). Philadelphia: Lippincott Williams & Wilkins; 2020.

Bibliographie

- Pronovost P., Needham D., Berenholtz S. et al., « An intervention to decrease catheter-related bloodstream infections in the ICU, in : New England Journal of Medicine 2006 ; 355, 2725-2732.
- Sackett DL, Rosenberg WMC, « The need for evidence-based medicine », in : J R SOC Med 1995; 88, 620-624.
- Sakr WA, Grignon DJ, Haas GP, et al. Age and racial distribution of prostatic intraepithelial neoplasia. Eur Urol 1996;30:138–44.
- Straus, SE., Richardson, WS., Glasziou, P., Haynes BR. Médecine fondée sur les faits : Evidence-based medecine. Traduction et adaptation de l'anglais Chêne. G., Salmi, L R.. Issy les Moulineaux : Elsevier Masson; 2007.
- The BMJ. Too much medicine. Available at: <http://www.bmj.com/too-much-medicine>.
- Timmermans S., Epstein S.. A World of Standards but not a Standard World: Toward a Sociology of Standards and Standardization*. Annual Review of Sociology. Vol. 36:69-89 (Volume publication date 11 August 2010) First published online as a Review in Advance on April 9, 2010.
- YJ Tung, KK Lo, RCM Ho, WSW Tam. Prevalence of depression among nursing students: A systematic review and meta-analysis - Nurse education today 2018; 63 ; 119–129
- Ubbink, D. T., Guyatt, G. H., & Vermeulen, H. Framework of policy recommendations for implementation of evidence-based practice: a systematic scoping review. BMJ open 2013; 3(1), e001881.
- Wallis, L. Barriers to Implementing Evidence-Based Practice Remain High for U.S. Nurses. AJN The American Journal of Nursing 2012; 112(12) : 15.
- Welch HG, Black WC. Overdiagnosis in cancer. J Natl Cancer Inst 2010;102:605–13.
- WHO Europe (2017) Facilitating evidence-based practice in nursing and midwifery in the WHO European Region.
http://www.euro.who.int/_data/assets/pdf_file/0017/348020/WH06_EBP_report_complete.pdf?ua=1,
- Wong C.A., Cummings G.G. & Ducharme L. The relationship between nursing leadership and patient outcomes: a systematic review update. Journal of Nursing Management 2013; 21, 709–724.